



ENGINE  
GROUND  
SEARCH  
TACTICAL  
INTEGRAL  
WINDOWS  
SKIDTUB  
AVIONI  
LAV  
EN  
PE  
HEATING  
AIR COND  
TOOLING  
ENGINE S  
GROUND  
FLOTATION



**EXTERNAL LOAD**

**2009**

**ACCESSORIES CATALOG**



**Jeff Shapiro**  
President/CEO

## DART Helicopter Services: We Engineer Solutions

This 2009 catalog is our biggest ever – with more than 1,000 new solutions engineered to help meet your operational challenges.

There has never been a better time to be part of the most exciting industry in the world. Presented with extraordinary opportunities for growth and expansion, DART has strategically focused only on those that support our core mission — providing you with helicopter accessories that make your operation safer, more efficient, and more profitable. Some of these include:

- The acquisition of Canam Aerospace and Cargo Net Innovations. This expands our portfolio of long line cargo hooks, bag automated transporters, primary hooks, carousels, long line nubbins, swivels, shock absorbers, logging grapples, synthetic long lines, and cargo nets for a variety of helicopter models.
- Agreements to distribute a range of new products from AKV Inc., Red Barn Machine, and Spectrolab. Their respective products include turbine engine cycle counters, standard and custom tools for engine overhaul and repair, and searchlights, including the popular Nightsun® series.
- Agreements to distribute special ops equipment and ground support dollies for Tyler and Mainline.
- Establishment of a new warehouse/distribution center for helicopter accessories in Hong Kong.

This year's catalog includes more than 2,500 individual parts and accessories for your helicopters. That's a growth of more than 1,000 products since our last catalog was issued. As you review the product listings for your helicopter model, please note the special designations for MME or "Maintenance Made Easy" products. These accessories will streamline your maintenance efforts, so they are definitely worth a look.

What's ahead for 2009? More of the same. Great products. Great Service. Strategic Growth. All focused on you and your operational requirements.


My team and I appreciate your business and your support.



**DART Helicopter Services, LLC**  
P.O. Box 430, Piney Flats, TN 37686

**Sales Office**  
352 Main Street West  
Suite 103  
Hawkesbury, ON K6A 2H8  
1-800-556-4166 or 1-613-632-3336  
Fax: 1-613-632-4443  
Email: [sales@darthelicopterservices.com](mailto:sales@darthelicopterservices.com)

# LOCATIONS



## OUR TEAM HAS OVER 150 YEARS OF INDUSTRY EXPERIENCE



**Peggy McDonald**  
Director of  
World Wide Sales



**Tham Wei Min**  
South East Asia  
Sales Representative



**Roberto Sieveking**  
Latin America  
Sales Representative



**Heather Mahon**  
North America  
Sales Manager



**Robbin Fraser**  
International  
Sales Associate



**Jennifer Renwick**  
Marketing Coordinator



**Sam Summers**  
New Business Liaison



**Lucie Gaumond-Lamoureux**  
Sales Associate



**Shirley Hay**  
Sales Associate



**Carole O'Rourke**  
Sales Associate



**Carrie Pearson**  
Sales Associate



**Holly Menard**  
Marketing Coordinator



**Steve Joseph**  
President of  
Geneva Aviation



**Steve Cudnofsky**  
Geneva Aviation  
Tech Support



**Dan Stow**  
DART Aerospace  
Tech Support



**Lisa Mansfield**  
Apical Industries  
Tech Support



**Jean Kerr**  
Sales Support



**Linda Pilon**  
Marketing Support

**External Load**

Universal Fast Rope Hook for Large Helicopters ..... 7  
Remote Cargo Hooks..... 8  
Synthetic Long Lines..... 9  
Electric Swivels..... 10  
Nubbins Receivers ..... 11  
Multi-Hook Carousels..... 12  
Cargo Nets..... 13



## EXTERNAL LOAD

*New and featured External Load Equipment for use with your helicopter*



For more information or to place an order, contact:  
DART Helicopter Services at 1-800-556-4166 or 1-613-632-3336 or visit:  
[www.DARTheicopterservices.com](http://www.DARTheicopterservices.com)



## Universal Fast Rope Hook & Release for Large Helicopters

The Tyler "Universal" Fast Rope Hook & Release is designed to be operated on large helicopters by a crew-member at the door or rear ramp. The hook is operated by a pull handle at the back end of the hook. There is a two-position safety latch for normal operations as well as a lockout pin for training exercises.

The Universal Fast Rope Hook can mount to existing hoist or repelling arms located at side door or rear ramp of large helicopters. Large diameter or normal repelling ropes can be used. The Universal Hook weighs only seven pounds and measures 2" X 6" X 20" in size.

- **Attaches to existing hoist & repelling arms**
- **Independent system adaptable to wide range of ships**
- **Two-position safety release**



### UNIVERSAL FAST ROPE HOOK & RELEASE FOR LARGE HELICOPTERS

Part Number	Product Description	Kit Weight	Installation Time	
UNIVERSAL FR H/R	Universal Fast Rope Hook & Release for Large Helicopters	7 lbs		
Part Number	Product Description	Special Comments	Aircraft Model	Price (USD)
UNIVERSAL FR H/R	Universal Fast Rope Hook & Release for Large Helicopters	Can be adapted for use on a wide range of ships. Aircraft operator must provide hook attach point.	Large	Contact Sales

NEW!

## Remote Cargo Hooks

## Canam Remote Cargo Hooks

The C-Series Remote Cargo Hooks are designed for use with helicopter Cargo Slings, Nets, Steel and Synthetic long line operations. Available in single or multiple hook configurations. Multiple hook configurations and designs available upon request.

- Dependable, durable and built with quality and safety in mind
- Electrical and emergency manual release
- High strength aluminum / steel construction
- Large throat opening
- Conventional (saddle type) load beam has auto return feature
- Minimal weight and low voltage (15v & 5 amps) required for release
- 2,000 to 25,000 lb safe working loads



C Series Hook with Wrap Around Cage



C Series Hook with Rubberized Wrap Around Cage and Electric Swivel



C Series Hook with Ringed Cage and Electrical Swivel

*Keeperless hooks are available*

## C-SERIES CARGO HOOKS

Part Number	Product Description	Special Comments	Aircraft Model	Price (USD)
C2	C-Series Hook 2,000 lb Lift Capacity (909 kg)	Throat opening 1.25, weight 5 lb / 2.3 kg		\$1,685
C2-C	Single Cage	For use with C2 Hook, weight 8 lb / 3.6 kg		\$395
C2-RC	Ring Cage	For use with C2 Hook, weight 8 lb / 3.6 kg		\$395
C3	C-Series Hook 3,000 lb Lift Capacity	Throat opening 1.77, weight 6 lb / 2.7 kg		\$2,095
C3-C	Single Cage	For use with C3 Hook, weight 8.5 lb / 3.9 kg		\$425
C3-RC	Ring Cage	For use with C3 Hook, weight 8.5 lb / 3.9 kg		\$425
C45	C-Series Hook 4,500 lb Lift Capacity	Throat opening 1.40, weight 15 lb / 6.8 kg		\$2,995
C45-C	Single Cage	For use with C45 Hook, weight 15 lb / 6.8 kg		\$450
C60	C-Series Hook 6,000 lb Lift Capacity	Throat opening 1.40, weight 16.5 lb / 7.5 kg		\$3,015
C60-C	Single Cage	For use with C60 Hook, weight 15.5 lb / 7.0 kg		\$450
C10	C-Series Hook 10,000 lb Lift Capacity	Throat opening 1.75, weight 32 lb / 14.6 kg		\$5,515
C10-C	Single Cage	For use with C10 Hook, weight 22 lb / 10.0 kg		\$465
C20	C-Series Hook 20,000 lb Lift Capacity	Throat opening 1.80, weight 37 lb / 16.8 kg		\$18,744
C20-C	Single Cage	For use with C20 Hook, Contact Sales for weight.		\$772
C250	C-Series Hook 25,000 lb Lift Capacity	Throat opening 2.40, weight 67 lb / 30.5 kg		\$24,995
C250-C	Single Cage	For use with C250 Hook, weight 62 lb / 28.2 kg		\$1,432



## Canam - Synthetic Long Lines

Fully Dressed Long Line comes with the following;

Synthetic rope, POV Orange Velcro Jacket with End Returns, Blue Line Thimble with Epoxy Coating at each end. 14/3 Gauge Electrical Wire.

Each line has a 5 ft electrical pig tail with three prong plug and receptacle installed at each end and a carry bag. Each long line is Spliced, Pre-stretched by a DOT approved facility, ID tagged and a Component Release Certificate is issued.

- 8 Times lighter and 20% stronger than wire rope & does not kink
- Max. elongation is 4% - 5% (stretch)
- Chemical resistant: fuel, hydraulic oil, etc.
- Velcro jacket contains 2 separate pouches, 1 pouch for rope and 1 pouch for electrical cable, which allows for easy inspection of the long line
- Over 10 years proven field experience

*Safe and Reliable*



PRODUCT SPECIFICATIONS						
Part Number	P3000	P4400	P5400	P7300	P9700	P13200
Circumference	1.25" / 11mm	1.5" / 12mm	1.75" / 14mm	2" / 16mm	2.25" / 18mm	2.75" / 22mm
lb / 100 ft	4.2	6.4	7.9	10.6	13.3	19.6
kg / 100 m	6.3	9.5	11.8	15.8	19.8	28.8
Min. Tensile Strength	21,000 lb / 9,500 kg	31,300 lb / 14,200 kg	37,900 lb / 17,200 kg	51,400 lb / 23,300 kg	68,500 lb / 31,100 kg	92,500 lb / 42,000 kg

SYNTHETIC LONG LINES				
Part Number	Product Description	Special Comments	Aircraft Model	Price (USD)
P3000-50	Long Line 3,000 lb Safe Work Load (1,350 kg)	7/16" Rope Diameter, 50ft / 15m		Contact Sales
P3000-100	Long Line 3,000 lb Safe Work Load (1,350 kg)	7/16" Rope Diameter, 100ft / 30m		Contact Sales
P3000-150	Long Line 3,000 lb Safe Work Load (1,350 kg)	7/16" Rope Diameter, 150ft / 50m		Contact Sales
P4400-50	Long Line 4,400 lb Safe Work Load (2,000 kg)	1/2" Rope Diameter, 50ft / 15m		Contact Sales
P4400-100	Long Line 4,400 lb Safe Work Load (2,000 kg)	1/2" Rope Diameter, 100ft / 30m		Contact Sales
P4400-150	Long Line 4,400 lb Safe Work Load (2,000 kg)	1/2" Rope Diameter, 150ft / 50m		Contact Sales
P5400-50	Long Line 5,400 lb Safe Work Load (2,500 kg)	9/16" Rope Diameter, 50ft / 15m		Contact Sales
P5400-100	Long Line 5,400 lb Safe Work Load (2,500 kg)	9/16" Rope Diameter, 100ft / 30m		Contact Sales
P5400-150	Long Line 5,400 lb Safe Work Load (2,500 kg)	9/16" Rope Diameter, 150ft / 50m		Contact Sales
P7300-50	Long Line 7,300 lb Safe Work Load (3,300 kg)	5/8" Rope Diameter, 50ft / 15m		Contact Sales
P7300-100	Long Line 7,300 lb Safe Work Load (3,300 kg)	5/8" Rope Diameter, 100ft / 30m		Contact Sales
P7300-150	Long Line 7,300 lb Safe Work Load (3,300 kg)	5/8" Rope Diameter, 150ft / 50m		Contact Sales
P9700-50	Long Line 9,700 lb Safe Work Load (4,500 kg)	3/4" Rope Diameter, 50ft / 15m		Contact Sales
P9700-100	Long Line 9,700 lb Safe Work Load (4,500 kg)	3/4" Rope Diameter, 100ft / 30m		Contact Sales
P9700-150	Long Line 9,700 lb Safe Work Load (4,500 kg)	3/4" Rope Diameter, 150ft / 50m		Contact Sales
P13200-50	Long Line 13,200 lb Safe Work Load (6,000 kg)	7/8" Rope Diameter, 50ft / 15m		Contact Sales
P13200-100	Long Line 13,200 lb Safe Work Load (6,000 kg)	7/8" Rope Diameter, 100ft / 30m		Contact Sales
P13200-150	Long Line 13,200 lb Safe Work Load (6,000 kg)	7/8" Rope Diameter, 150ft / 50m		Contact Sales

**Canam Standard Long Lines are "Fully Dressed" however they can be customized to suit your requirements**

**CUSTOM LINES ARE AVAILABLE. CONTACT SALES FOR ADDITIONAL INFORMATION**

**Swivels****Canam Electric Swivels**

Canam's Electric Swivels are used in conjunction with cargo equipment to transport external loads suspended from a helicopter. The electric current continuously passes through the rotary connector of the swivel.

- Prevents curling or kinking of the long line
- Recommended for use with water buckets
- Built to work in conjunction with Canam's Remote Hooks





<b>SWIVELS</b>				
<b>Part Number</b>	<b>Product Description</b>	<b>Special Comments</b>	<b>Aircraft Model</b>	<b>Price (USD)</b>
SWA3-2	Electric Swivel 3,000 lb Safe Work Load (1,360 kg)	2 wire, 2 rated @ 30AMP, weight 4.5 lb / 2.0 kg		\$1,312
SWA3-3	Electric Swivel 3,000 lb Safe Work Load (1,360 kg)	3 wire, 2 rated @ 4AMP & 1@ 30AMP or 3 @ 30AMP, weight 5 lb / 2.3 kg		\$1,812
SWA3-4	Electric Swivel 3,000 lb Safe Work Load (1,360 kg)	4 wire, 2 rated @ 4AMP and 2 rated @ 30AMP, weight 5.25 lb / 2.4 kg		\$2,082
SWA6A-2	Electric Swivel 6,000 lb Safe Work Load (2,721 kg)	2 wire, 2 rated @ 30AMP, weight 12 lb / 5.5 kg		\$3,352
SWA6A-3	Electric Swivel 6,000 lb Safe Work Load (2,721 kg)	3 wire, 2 rated @ 4AMP & 1@ 30AMP or 3 @ 30AMP, weight 12.5 lb / 5.7 kg		\$3,592
SWA6A-4	Electric Swivel 6,000 lb Safe Work Load (2,721 kg)	4 wire, 2 rated @ 4AMP and 2 rated @ 30AMP, weight 13 lb / 5.9 kg		\$3,832
SWA6A-6	Electric Swivel 6,000 lb Safe Work Load (2,721 kg)	6 wire, 2 rated @ 4AMP and 4 rated @ 30AMP, weight 15 lb / 6.8 kg		\$4,404
SWA6A-8	Electric Swivel 6,000 lb Safe Work Load (2,721 kg)	8 wire, 2 rated @ 4AMP and 6 rated @ 30AMP, weight 16.5 lb / 7.5 kg		\$4,550
SWA10A-2	Electric Swivel 10,000 lb Safe Work Load (4,536 kg)	2 wire, 2 rated @ 30AMP, weight 20 lb / 9.1 kg		\$3,936
SWA10A-3	Electric Swivel 10,000 lb Safe Work Load (4,536 kg)	3 wire, 2 rated @ 4AMP & 1@ 30AMP or 3 @ 30AMP, weight 20 lb / 9.1 kg		\$4,248
SWA10A-4	Electric Swivel 10,000 lb Safe Work Load (4,536 kg)	4 wire, 2 rated @ 4AMP and 2 rated @ 30AMP, weight 24 lb / 10.9 kg		\$4,726
SWA10A-6	Electric Swivel 10,000 lb Safe Work Load (4,536 kg)	6 wire, 2 rated @ 4AMP and 4 rated @ 30AMP, weight 24.5 lb / 11.1 kg		\$5,434
SWA10A-8	Electric Swivel 10,000 lb Safe Work Load (4,536 kg)	8 wire, 2 rated @ 4AMP and 6 rated @ 30AMP, weight 25 lb / 11.4 kg		\$6,954
SWA15A-2	Electric Swivel 15,000 lb Safe Work Load (6,818 kg)	2 wire, 2 rated @ 30AMP, weight 20 lb / 9.1 kg		\$4,342
SWA15A-3	Electric Swivel 15,000 lb Safe Work Load (6,818 kg)	3 wire, 2 rated @ 4AMP & 1@ 30AMP or 3 @ 30AMP, weight 20.5 lb / 9.3 kg		\$4,664
SWA15A-4	Electric Swivel 15,000 lb Safe Work Load (6,818 kg)	4 wire, 2 rated @ 4AMP and 2 rated @ 30AMP, weight 24 lb / 10.9 kg		\$5,194
SWA15A-6	Electric Swivel 15,000 lb Safe Work Load (6,818 kg)	6 wire, 2 rated @ 4AMP and 4 rated @ 30AMP, weight 24.5 lb / 11.1 kg		\$7,682
SWA25A-2	Electric Swivel 25,000 lb Safe Work Load (11,340 kg)	2 wire, 2 rated @ 30AMP, weight 35 lb / 15.9 kg		\$11,470
SWA25A-3	Electric Swivel 25,000 lb Safe Work Load (11,340 kg)	3 wire, 2 rated @ 4AMP & 1@ 30AMP or 3 @ 30AMP, weight 35 lb / 15.9 kg		\$11,700
SWA25A-4	Electric Swivel 25,000 lb Safe Work Load (11,340 kg)	4 wire, 2 rated @ 4AMP and 2 rated @ 30AMP, weight 35 lb / 15.9 kg		\$12,012
SWA25A-6	Electric Swivel 25,000 lb Safe Work Load (11,340 kg)	6 wire, 2 rated @ 4AMP and 4 rated @ 30AMP, weight 35 lb / 15.9 kg		\$12,908
SWA25A-8	Electric Swivel 25,000 lb Safe Work Load (11,340 kg)	8 wire, 2 rated @ 4AMP and 6 rated @ 30AMP, weight 35 lb / 15.9 kg		\$13,990

## Canam Nubbins Receivers

Specialized for Logging, Seismic and Construction Operations. The safest, most reliable and long lasting product on the market.

- The load is resting on the rails, relieving the load tension from up to 70% - this leads to high reliability, reduced maintenance and downtime
- Product of Choice when transporting seismic construction materials, drill rigs and a must for heli-logging operations
- Side plate stiffeners allow for “side pulls” that occur when lifting multiple dispersed loads
- Constructed using quality high strength aluminum and steel materials
- Protective cage mounting is standard with the 4.5NR model
- Dual Nubbins Receiver configurations benefit operations by allowing higher load capacities and over loading adjustments



Product Specifications			
Part Number	4.5NR	8NR	20NR
Weight	14 lb / 6.4 kg	47 lb / 21 kg	84 lb / 38 kg
Height	11.5" / 280mm	17.5" / 445mm	17.5" / 445mm
Width	11" / 280mm	21" / 530mm	21" / 530mm
Thickness	4.9" / 125mm	5.5" / 140mm	5.5" / 140mm
Nubbins Ball/Rope	1" x 1.5" -1/2" Rope	1" x 1.8" -9/16" Rope	1" x 1.8" -9/16" Rope

NUBBINS RECEIVER HOOKS				
Part Number	Product Description	Special Comments	Aircraft Model	Price (USD)
4.5NR	Nubbins Receiver Hook	4,500 lb (2,000 kg) Lift Capacity		\$4,615
4.5NR-C	Single Ring Cage	For use with 4.5NR		\$657
4.5NR-DC	Dual Hook Cage	For use with 4.5NR		\$889
8NR-SP	Nubbins Receiver with side plate protectors	8,000 lb (3,600 kg) Lift Capacity		\$12,900
8NR-C	Single Ring Cage	For use with 8NR		\$2,266
8NR-DHC	Dual Hook Cage	For use with 8NR. Requires T-bar Kit		\$2,428
8NR-DHRC	Dual Hook Rubberized Cage	For use with 8NR. Requires T-bar Kit		\$2,775
8NR-DRC	Double Ring Single Cage	For use with 8NR		\$2,176
8NR-DRCR	Double Ring Single Rubberized Cage	For use with 8NR		\$2,681
20NR-SP	Nubbins Receiver with side plate protectors	20,000 lb ( 9,000 kg) Lift Capacity		\$15,170
20NR-C	Single Ring Cage	For use with 20NR		\$1,850
20NR-DHC	Dual Hook Cage	For use with 20NR. Requires T-bar kit		\$2,428
20NR-DHRC	Dual Hook Rubberized Cage	For use with 20NR. Requires T-bar kit		\$2,775
20NR-DRC	Double Ring Single Cage	For use with 20NR		\$2,176
20NR-DRCR	Double Ring Single Rubberized Cage	For use with 20NR		\$2,681

**Carousels**

**Canam Multi-Hook Carousels**

2,000 lb capacity specialized for “Seismic Bag” cargo operations.  
 The multi-hook carousel was designed to provide an operator with the ability to release multiple loads in different areas of an operational site.

**Features:**

- **Low center of gravity, won't roll over on landings**
- **Easy stowage**
- **Quick installation – using existing long line power set-up**
- **Solid Stage Switching System**
- **Auto dump feature – allows pilot to release all hooks at once**



*Keeperless hook carousels now available*

<b>MULTI HOOK CAROUSELS</b>				
<b>Part Number</b>	<b>Product Description</b>	<b>Special Comments</b>	<b>Aircraft Model</b>	<b>Price (USD)</b>
C2-4HC	4 Hook Carousel	60 lb / 27.3 kg		\$13,576
C2-6HC	6 Hook Carousel	70 lb / 31.8 kg		\$17,804
C2-8HC	8 Hook Carousel	80 lb / 36.4 kg		\$22,124

**Carousels requiring larger lift capacity hooks available. Contact sales**



## Canam Cargo Nets

Using a Canam Cargo Net provides the operator with greater efficiency. The advantage of easy center loading allows for a more stable load platform and better flight characteristics.

Each net is constructed under tension, with joints guaranteed not to loosen or separate, and comes complete with Pear Ring and three Double-Latch Safety Hooks. A carrying bag is also included.

Perimeter rim ropes and cross ropes are made from 5/8" hollow braid nylon.

**Features:**

- 100% Nylon Construction
- Traceability  
– Metal ID tag
- Load position indicator
- No side joints or splices
- Certified safe load limits
- Flight ready



**Net comes with:**

- 3-Dual safety locking snap hooks
- Pear ring
- Carry bag
- ID tag with s/n and p/n
- Serviceable tag
- Treated with fire retardant



### CARGO NETS

Part Number	Product Description	Special Comments	Aircraft Model	Price (USD)
N15-E10-FR	Cargo Net - 8 Sided - Flame Resistant	10'x10'. Weight 14 lb / 6.4 kg		Contact Sales
N15-E12-FR	Cargo Net - 8 Sided - Flame Resistant	12'x12'. Weight 16 lb / 7.3 kg		Contact Sales
N15-E14-FR	Cargo Net - 8 Sided - Flame Resistant	14'x14'. Weight 20 lb / 9.1 kg		Contact Sales
N15-E15-FR	Cargo Net - 8 Sided - Flame Resistant	15'x15'. Weight 24 lb / 10.9 kg		Contact Sales
N15-E16-FR	Cargo Net - 8 Sided - Flame Resistant	16'x16'. Weight 28 lb / 12.7 kg		Contact Sales
N15-E18-FR	Cargo Net - 8 Sided - Flame Resistant	18'x18'. Weight 32 lb / 14.5 kg		Contact Sales
N15-E20-FR	Cargo Net - 8 Sided - Flame Resistant	20'x20'. Weight 36 lb / 16.4 kg		Contact Sales
N30-E10-FR	Cargo Net - 8 Sided - Flame Resistant	10'x10'. Weight 18 lb / 8.2 kg		Contact Sales
N30-E12-FR	Cargo Net - 8 Sided - Flame Resistant	12'x12'. Weight 22 lb / 10kg		Contact Sales
N30-E14-FR	Cargo Net - 8 Sided - Flame Resistant	14'x14'. Weight 24 lb / 10.9 kg		Contact Sales
N30-E15-FR	Cargo Net - 8 Sided - Flame Resistant	15'x15'. Weight 28 lb / 12.7 kg		Contact Sales
N30-E16-FR	Cargo Net - 8 Sided - Flame Resistant	16'x16'. Weight 32 lb / 14.5 kg		Contact Sales
N30-E18-FR	Cargo Net - 8 Sided - Flame Resistant	18'x18'. Weight 35 lb / 15.9 kg		Contact Sales
N30-E20-FR	Cargo Net - 8 Sided - Flame Resistant	20'x20'. Weight 40 lb / 18.2 kg		Contact Sales
N50-E16-6B	Cargo Net - 8 Sided - 6" SQUARES	16'x16'. Weight 41 lb / 18.6 kg		Contact Sales
N50-E16-8B	Cargo Net - 8 Sided - 8" SQUARES	16'x16'. Weight 41 lb / 18.6 kg		Contact Sales
N50-E18-6B	Cargo Net - 8 Sided - 6" SQUARES	18'x18'. Weight 53 lb / 24.0 kg		Contact Sales
N50-E18-8B	Cargo Net - 8 Sided - 8" SQUARES	18'x18'. Weight 53 lb / 24.0 kg		Contact Sales
N50-E20-6B	Cargo Net - 8 Sided - 6" SQUARES	20'x20'. Weight 62 lb / 28.1 kg		Contact Sales
N50-E20-8B	Cargo Net - 8 Sided - 8" SQUARES	20'x20'. Weight 62 lb / 28.1 kg		Contact Sales
N60-E18-8B	Cargo Net - 8 Sided - 8" SQUARES	18'x18'. Weight 64 lb / 29.0 kg		Contact Sales
N60-E20-8B	Cargo Net - 8 Sided - 8" SQUARES	20'x20'. Weight 0.0 lb / 0.0 kg		Contact Sales
N60-E24-8B	Cargo Net - 8 Sided - 8" SQUARES	20'x20'. Weight 0.0 lb / 0.0 kg		Contact Sales

Standard black and tarred nets available. Contact sales

**CUSTOM NETS ARE AVAILABLE. CONTACT SALES FOR ADDITIONAL INFORMATION**



**DART Helicopter Services, LLC**

P.O. Box 430, Piney Flats, TN 37686

**Sales Office**

1-800-556-4166 or 1-613-632-3336

Fax: 1-613-632-4443

Email: [sales@darthelicopterservices.com](mailto:sales@darthelicopterservices.com)

Prices shown in the catalog are in US dollars and are subject to change without notice.  
For more information on DART Helicopter Services and the most current pricing and product updates,  
please visit our website:

***[www.darthelicopterservices.com](http://www.darthelicopterservices.com)***



For more information or to place an order call

1-800-556-4166 or 1-613-632-3336

or visit us at

[www.darthelicopterservices.com](http://www.darthelicopterservices.com)